

## **D-Link ANT24-1400**

# 14 dBi High Gain Directional Panel Antenna



- 14 dBi Signal Gain
- 2.4GHz Frequency Range
- Swivel Mount for Directional Orientation
- Includes Cable that Converts
  N-Female to Reverse SMA
- Made with Weatherproof and Corrosion Resistant Material

## Indoor/Outdoor 14 dBi High Gain Directional Panel Antenna

The D-Link ANT24-1400 connects to the DWL-900AP, DI-714 and DI-713P to extend the range of coverage for the wireless network.

The D-Link ANT24-1400 antenna provides extended coverage for an existing 802.11b wireless local area network (WLAN). The D-Link ANT24-1400 comes with a conversion cable that allows connection directly to the D-Link DWL-900AP access point, DI-714 wireless broadband router and newer versions of the DI-713P wireless broadband router.

This product includes the following items: Mounting Kit, Lightning Surge Protector and Conversion Cable.

The D-Link ANT24-1400 requires an access point or wireless broadband gateways with a reverse SMA connector. The D-Link ANT24-1400 comes with a conversion cable that allows connection directly to the D-Link DWL-900AP access point, DI-714 wireless broadband router and newer versions of the DI-713P wireless broadband router.

## The D-Link ANT24-1400 Includes

Antenna

Mounting Kit

Conversion Cable

Lighting Surge Protector

# Data Sheet

### 14 dBi High Gain Directional Panel Antenna

# Technical Specifications

#### **Electrical Specifications**

#### Frequency Range

2.3-2.5GHz

#### Gain

14 dBi

#### **VSWR**

1.5:1 Max

#### **Polarization**

Linear, vertical

#### **HPBW**

- horizontal 30°
- vertical- 30°

#### Front to Back Ratio

15 dB

#### **Downtilt**

0°

#### **Power Handling**

50W (cw)

#### Impedance

50 Ohms

#### Connector

N female

#### **Cable**

(N-male to RP-SMA plug) - 1.65 feet (0.5 meter) - 0.83db lost per meter

## **Environmental & Mechanical Characteristics**

#### **Temperature**

-40°F to 176°F (-40°C to 80°C)

#### **Humidity**

100%@ 77°F (25°C)

#### **Lightning Protection**

DC ground

#### **Radom Color**

Gray-white

#### **Radom Material**

ABS, UV resistant

#### Weight

1.82 lbs (0.825kg)

#### **Dimensions**

9.45 x 9.45 x 2.74 in. (240 x 240 x 69.5 mm)

#### **Survival Wind Speed**

112 miles/hr

#### Warranty

1 Year



